Fact Sheet



For Final Renewal Permitting Action Under 45CSR30 and Title V of the Clean Air Act

Permit Number: R30-04100011-2006 Application Received: August 15, 2002 Plant Identification Number: 04100011 Permittee: Dominion Transmission, Inc Facility Name: Kennedy Compressor Station Mailing Address: 445 West Main Street Clarksburg, WV 26301

Physical Location: Valley Chapel, Lewis County, West Virginia

UTM Coordinates: 543.59 km Easting • 4328.71 km Northing • Zone 17

Directions:

Interstate 79 North to the Jane Lew Exit (Number 105). Turn right on County Route 7 and go 0.8 miles to Jane Lew, intersection of U.S. Route 19. Turn left on U.S. Route 19 and travel 4.7 miles to County Route 12, the Jackson's Mill Road. Turn right on County Route 12 and travel 2.4 miles, bear left and cross a narrow bridge to Jackson's Mill State 4-H Camp, County Route 12 changes to County Route 10 at this point, proceed 0.6 miles to the intersection of County Route 1, turn left and go approximately 200 yards to Valley Chapel Road, County Route 10. Turn right and go approximately 1.3 miles, turn left and cross a wooden plank bridge to the site.

Facility Description

Kennedy Compressor Station is a natural gas transmission facility covered by Standard Industrial Classification (SIC) Code 4922. The station has the potential to operate seven (7) days per week, twenty-four (24) hours per day. The station consists of two (2) 1100 HP natural gas fired reciprocating engines, one (1) dehydrator reboiler, one (1) dehydration unit, one (1) dehydration unit still flare and eight (8) storage tanks of various sizes.

52.73

Emissions Summary

Plantwide Emissions Summary [Tons per Year]			
Criteria Pollutants	Potential Emissions	2004 Actual Emissions	
Carbon Monoxide (CO)	150.94	114.34	
Nitrogen Oxides (NO _X)	445.884	332.27	
Particulate Matter (PM ₁₀)	0.84	0.26	
Total Particulate Matter (TSP)	1.56	0.52	
Sulfur Dioxide (SO ₂)	0.05	0.03	

 PM_{10} is a component of TSP.

Volatile Organic Compounds (VOC)

Hazardous Air Pollutants	Potential Emissions	2004 Actual Emissions
Total HAPs*	19.25	6.78

252.86

Some of the above HAPs may be counted as PM or VOCs.

rm

Title V Program Applicability Basis

This facility has the potential to emit 445.884 tons of NOx, 252.86 tons of VOC and 150.94 tons of CO. Due to this facility's potential to emit over 100 tons per year of criteria pollutant, Dominion Transmission, Inc is required to have an operating permit pursuant to Title V of the Federal Clean Air Act as amended and 45CSR30.

Legal and Factual Basis for Permit Conditions

The State and Federally-enforceable conditions of the Title V Operating Permits are based upon the requirements of the State of West Virginia Operating Permit Rule 45CSR30 for the purposes of Title V of the Federal Clean Air Act and the underlying applicable requirements in other state and federal rules.

This facility has been found to be subject to the following applicable rules:

Federal and State:	45CSR2	Opacity Requirements for boilers
	45CSR6	Open burning prohibited.
	45CSR10	Sulfur requirements for fuel burned
	45CSR11	Standby plans for emergency episodes.
	45CSR13	New Source Construction
	45CSR17	Control fugitive particulate matter
	WV Code § 22-5-4 (a) (14)	The Secretary can request any pertinent
		information such as annual emission
		inventory reporting.
	45CSR30	Operating permit requirement.
	40 C.F.R. Part 61	Asbestos inspection and removal
	40 C.F.R. Part 82, Subpart F	Ozone depleting substances
State Only:	45CSR4	No objectionable odors.

^{*} HAPs are not speciated because no applicability was triggered.

Each State and Federally-enforceable condition of the draft Title V Operating Permit references the specific relevant requirements of 45CSR30 or the applicable requirement upon which it is based. Any condition of the draft Title V permit that is enforceable by the State but is not Federally-enforceable is identified in the draft Title V permit as such.

The Secretary's authority to require standards under 40 C.F.R. Part 60 (NSPS), 40 C.F.R. Part 61 (NESHAPs), and 40 C.F.R. Part 63 (NESHAPs MACT) is provided in West Virginia Code §§ 22-5-1 *et seq.*, 45CSR16, 45CSR15, 45CSR34 and 45CSR30.

Active Permits/Consent Orders

Permit or Consent Order Number	Date of Issuance	Permit Determinations or Amendments That Affect the Permit (if any)
N/A		

Conditions from this facility's Rule 13 permit(s) governing construction-related specifications and timing requirements will not be included in the Title V Operating Permit but will remain independently enforceable under the applicable Rule 13 permit(s). All other conditions from this facility's Rule 13 permit(s) governing the source's operation and compliance have been incorporated into this Title V permit in accordance with the "General Requirement Comparison Table B" which may be downloaded from DAQ's website.

Determinations and Justifications

Since the last modification of the existing permit, additional MRR (Monitoring, recordkeeping and reporting) has been added regarding the glycol dehydration system.

Calculations of SO_2 emissions using the FERC limit for total sulfur of 20 grains/ $100 ft^3$ along with stoichiometric conversions from grains of total sulfur/ $100 ft^3$ in the fuel to dry standard cubic feet of SO_2 per MMBtu and equation 19-1 of EPA Method 19 indicate that emissions from the engines are only a small fraction (<5%) of the 2000 ppm_v limit established by 45 CSR 10.

Calculations of particulate matter emissions using AP-42 factors for Natural Gas Combustion and Soot Formation at Flares (Sections 1.4-3 and 13.5-1, respectively) indicate that emissions from the flare are only a small fraction (<10%) of the mass limit established by 45CSR6. As a result of this finding and due to the nature of this control device, the visual emissions performance tests as per Section 5.4.1 of the permit may be used as an indicator of compliance with 45CSR6 requirements and shall be sufficient for compliance certification purposes.

According to 45 CSR §2-11, RBR01 is exempt from MRR (Monitoring, recordkeeping and reporting) requirements because RBR01's heat input is less than ten (10) million B.T.U's per hour.

Non-Applicability Determinations

The following requirements have been determined not to be applicable to the subject facility due to the following:

40 CFR 64 - Engines do not have any control; Glycol Dehydration unit is not a major source of HAPs. Therefore, in accordance with 40 C.F.R § 64.2(a), CAM is not applicable to this facility.

40 C.F.R § 60.18 – Flare is used only to control the odor. Even without flare the facility is not a major source of HAPs. Therefore, 40 C.F.R § 60.18 is not applicable.

Request for Variances or Alternatives

None

Insignificant Activities

Insignificant emission unit(s) and activities are identified in the Title V application.

Comment Period

Beginning Date: August 30, 2006 Ending Date: September 29, 2006

All written comments should be addressed to the following individual and office:

U.K.Bachhawat
Title V Permit Writer
West Virginia Department of Environmental Protection
Division of Air Quality
601 57th Street SE
Charleston, WV 25304

Procedure for Requesting Public Hearing

During the public comment period, any interested person may submit written comments on the draft permit and may request a public hearing, if no public hearing has already been scheduled. A request for public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing. The Secretary shall grant such a request for a hearing if he/she concludes that a public hearing is appropriate. Any public hearing shall be held in the general area in which the facility is located.

Point of Contact

U.K.Bachhawat West Virginia Department of Environmental Protection Division of Air Quality 601 57th Street SE Charleston, WV 25304

Phone: 304/926-0499 ext. 1256 • Fax: 304/926-0478

Response to Comments (Statement of Basis)

N/A